*Bird Study* (1991) **38**, 212–216

# Index

*Acrocephalus* spp., 92
*Actitis hypoleucos*, 151
*Aegypius monachus*, 200
Allport, G. *See* Sutherland, W.J.
Alonso, J.A., Muñoz-Pulido, R., Bautista, L.M. & Alonso, J.C. Nest-site selection and nesting success in the Azure-winged Magpie in Central Spain, 45
Alonso, J.C. *See* Alonso, J.A.
*Alopochen aegyptiacus*, 128
*Anser brachyrhynchus*, 112
*Aquila adalberti*, 200
*Aquila chrysaetos*, 42
*Ardea cinerea*, 200
*Arenaria interpres*, 179
Asensio, B. *See* Diaz, J.A.
Avery, M.I. *See* Elliott, G.D.
*Aythya ferina*, 118

Banks, K.W., Clark, H., Mackay, I.R.K., Mackay, S.G. & Sellers, R.M. Origins, population structure and movements of Snow Bunting *Plectrophenax nivalis* wintering in Highland Region, Scotland, 10
Bautista, L.M. *See* Alonso, J.A.
Behaviour: feeding behaviour at carcasses, 200; interspecific territorialism in Warblers, 92; scanning behaviour of Magpies, 38; use of feeders by garden birds, 145
Bevington, A. Habitat selection in the Dunnock *Prunella modularis* in northern England, 87
Blackbirds: frugivory in coastal dune scrub, 188
Blackcaps: frugivory in coastal dune scrub, 188
Blanco, J.C. *See* Hiraldo, F.
Boddy, M. Some aspects of frugivory by bird populations using coastal dune scrub in Lincolnshire, 188
Breeding: breeding Divers, choice of fishing lake, 135; breeding Merlin population in Wales, 103; breeding Whimbrel survey in Shetland, 160; Griffon Vultures usurping others raptors' eyries, 42; inland breeding of Shelduck, 123; nest-site selection and nesting success in Azure-winged Magpies, 45; Osprey breeding success in Corsica, 98; Pheasant nesting success, 73; population dynamics of breeding Sandpipers, 151
Bullock, I. *See* Hill, D.A.
Buntings, Snow: origins and movements in Scotland, 10
Bustamente, J. *See* Hiraldo, F.
*Buteo buteo*, 52, 200
Buzzards: exploitation of small carcasses, 200; review of persecution, 52

*Calidris alpina*, 179
*Calidris canutus*, 179
Carcasses: exploitation by birds, 200
*Carduelis chloris*, 145
*Carduelis spinus*, 145
Cayford, J.T. & Walker, F. Counts of male Black Grouse *Tetrao tetrix* in North Wales, 80
*Charadrius hiaticula*, 179
*Ciconia ciconia*, 200
*Circus* spp., 200
Clark, H. *See* Banks, K.W.

*Bird Study* (1991) **38**, 212–216

# Index

*Acrocephalus* spp., 92
*Actitis hypoleucos*, 151
*Aegypius monachus*, 200
Allport, G. *See* Sutherland, W.J.
Alonso, J.A., Muñoz-Pulido, R., Bautista, L.M. & Alonso, J.C. Nest-site selection and nesting success in the Azure-winged Magpie in Central Spain, 45
Alonso, J.C. *See* Alonso, J.A.
*Alopochen aegyptiacus*, 128
*Anser brachyrhynchus*, 112
*Aquila adalberti*, 200
*Aquila chrysaetos*, 42
*Ardea cinerea*, 200
*Arenaria interpres*, 179
Asensio, B. *See* Diaz, J.A.
Avery, M.I. *See* Elliott, G.D.
*Aythya ferina*, 118

Banks, K.W., Clark, H., Mackay, I.R.K., Mackay, S.G. & Sellers, R.M. Origins, population structure and movements of Snow Bunting *Plectrophenax nivalis* wintering in Highland Region, Scotland, 10
Bautista, L.M. *See* Alonso, J.A.
Behaviour: feeding behaviour at carcasses, 200; interspecific territorialism in Warblers, 92; scanning behaviour of Magpies, 38; use of feeders by garden birds, 145
Bevington, A. Habitat selection in the Dunnock *Prunella modularis* in northern England, 87
Blackbirds: frugivory in coastal dune scrub, 188
Blackcaps: frugivory in coastal dune scrub, 188
Blanco, J.C. *See* Hiraldo, F.
Boddy, M. Some aspects of frugivory by bird populations using coastal dune scrub in Lincolnshire, 188
Breeding: breeding Divers, choice of fishing lake, 135; breeding Merlin population in Wales, 103; breeding Whimbrel survey in Shetland, 160; Griffon Vultures usurping others raptors' eyries, 42; inland breeding of Shelduck, 123; nest-site selection and nesting success in Azure-winged Magpies, 45; Osprey breeding success in Corsica, 98; Pheasant nesting success, 73; population dynamics of breeding Sandpipers, 151
Bullock, I. *See* Hill, D.A.
Buntings, Snow: origins and movements in Scotland, 10
Bustamente, J. *See* Hiraldo, F.
*Buteo buteo*, 52, 200
Buzzards: exploitation of small carcasses, 200; review of persecution, 52

*Calidris alpina*, 179
*Calidris canutus*, 179
Carcasses: exploitation by birds, 200
*Carduelis chloris*, 145
*Carduelis spinus*, 145
Cayford, J.T. & Walker, F. Counts of male Black Grouse *Tetrao tetrix* in North Wales, 80
*Charadrius hiaticula*, 179
*Ciconia ciconia*, 200
*Circus* spp., 200
Clark, H. *See* Banks, K.W.

Communities: shorebird counts on the Wash, 179; winter woodland bird communities and grazing, 57
Condition: greater covert moult and pectoral muscle as measures of, 1
Conifer plantations: occupation by Merlins, 103
*Corvus corax*, 200
Cowie, R.J. & Simons, J.R. Factors affecting the use of feeders by garden birds: I. the positioning of feeders with respect to cover and housing, 145
Curlews: counts on the Wash, 179
*Cyanopica cyana*, 45

Diaz, J.A. & Asensio, B. Effects of group size and distance to protective cover on the vigilance behaviour of Black-billed Magpies *Pica pica*, 38
Diet *See* feeding
Distribution: Lapwings in England and Wales, 20; of naturalized Egyptian Geese in Britain, 128
Divers, Red-throated and Black-throated: choice of fishing lakes, 135
Donázar, J.A. *See* Fernández, C.
Dunlins: counts on the Wash, 179
Dunnocks: habitat selection, 87

Eagles, Bonelli's and Golden: eyries occupied by Griffon Vultures, 42
Eagles, Spanish Imperial: exploitation of small carcasses, 200
Ecology: choice of fishing lake by two species of Diver, 135; habitat selection in the Dunnock, 87; of naturalized Egyptian Geese in Britain, 128 *See also* feeding; habitat; populations
Elliott, G.D. & Avery, M.I. A review of reports of Buzzard persecution 1975–1989, 52
*Erithacus rubecula*, 188
Eriksson, M.O.G. & Sundberg, P. The choice of fishing lakes by the Red-throated Diver *Gavia stellata* and Black-throated Diver *G. arctica* during the breeding season in South-west Sweden, 135

*Falco columbarius*, 103
Feathers: greater-covert moult, 1
Feeders: use by garden birds, 145
Feeding: choice of fishing lakes by two species of Diver, 135; exploitation of small carcasses, 200; frugivory in coastal dune scrub, 188; Lapwing crop preferences, 20; Pochard feeding habitat, 118; use of feeders by garden birds, 115
Fernández, C. & Donázar, J.A. Griffon Vultures *Gyps fulvus* occupying eyries of other cliff-nesting raptors, 42
Fox, A.D. *See* Linton, E.

Gardens: use of feeders, 145
*Gavia arctica*, 135
*Gavia stellata*, 135
Geese, Egyptian: distribution and ecology in Britain, 128
Geese, Pink-footed: roost fidelity in Scotland, 112
Giroux, J.-F. Roost fidelity of Pink-footed Geese *Anser brachyrhynchus* in north-east Scotland, 112
Godwits, Bar-tailed: counts on the Wash, 179
Gosler, A.G. On the use of greater covert moult and pectoral muscle as measures of condition in passerines with data for the Great Tit *Parus major*, 1
Goss-Custard, J.D. *See* Yates, M.G.
Grant, M.C. Nesting densities, productivity and survival of breeding Whimbrel *Numenius phaeopus* in Shetland, 160
Grazing: effects on winter woodland bird communities, 57
Greenfinches: use of garden feeders, 145
Grouse, Black: surveys in Wales, 80
Gulls, Lesser Black-backed: exploitation of small carcasses, 200
*Gypaetus barbatus*, 42
*Gyps fulvus*, 42, 200

Habitat: inland breeding of Shelduck, 123; Lapwing preference, 20; selection in the Dunnock, 87; wintering Pochard feeding habitat, 118
*Haematopus ostralegus*, 179
Harriers, Marsh: exploitation of small carcasses, 200
Herons, Grey: exploitation of small carcasses, 200
*Hieraaetus fasciatus*, 42
Hill, D.A., Lambton, S., Proctor, I. & Bullock, I Winter bird communities in woodland in the Forest of Dean, England, and some implications of livestock grazing, 57
Hiraldo, F., Blanco, J.C. & Bustamente, J. Unspecialized exploitation of small carcasses by birds, 200
*Hirundo rustica*, 170
Holland, P.K. & Yalden, D.W. Population dynamics of Common Sandpipers *Actitis hypoleucos* breeding along an upland river system, 151

Kites, Red: exploitation of small carcasses, 200
Knots: counts on the Wash, 179

Lack, P.C. *See* Shrubb, M.
Lambton, S. *See* Hill, D.A.
Lammergeiers: eyries occupied by Griffon Vultures, 42
Lapwings: survey in England and Wales, 20
*Larus fuscus*, 200
Lavee, D. *See* Safriel, U.N.
*Limosa lapponica*, 179
Linton, E. & Fox, A.D. Inland breeding of Shelduck *Tadorna tadorna* in Britain, 123

Mackay, I.R.K. *See* Banks, K.W.
Mackay, S.G. *See* Banks, K.W.
Magpies, Azure-winged: nest-site selection and nesting success in Spain, 45
Magpies, Black-billed: exploitation of small carcasses, 200; scanning behaviour, 38
Merlins: occupation of new conifer plantations, 103
Methodology: counts of Black Grouse, 80; Lapwing survey, 20; Wimbrel survey, 160
Migration: abundance of stopping-over palearctic migrants, 71; movements of Swallows, 170; Snow Buntings wintering in Britain, 10
*Milvus milvus*, 200
Moult: greater-covert moult, 1
Movements: of overwintering Snow Buntings, 10; of Swallows, 170
Muscles, pectoral: as a measure of condition, 1
Muñoz-Pulido, R. *See* Alonso, J.A.

*Neophron percnopterus*, 42
Nests: Griffon Vultures expropriating other raptors' eyries, 42; nest-record schemes of British Pheasants, 73; site selection by Azure-winged Magpies, 45; Whimbrel nest densities, 160
*Numenius arquata*, 179
*Numenius phaeopus*, 160

Ormerod, S.J. Pre-migratory and migratory movements of Swallows *Hirundo rustica* in Britain and Ireland, 170
Ospreys: breeding success in Corsica, 98
Oystercatchers: counts on the Wash, 179

Palestrini, C. *See* Rolando, A.
*Pandion haliaetus*, 98
Parr, S.J. Occupation of new conifer plantations by Merlins in Wales, 103
*Parus caeruleus*, 145
*Parus major*, 1

*Passer domesticus*, 145
Patrimonio, O. *See* Thibault, J.-C.
Persecution: of Buzzards, 52
*Phasianus colchicus*, 73
Pheasants: nesting success and productivity, 73
Phillips, V.E. Pochard *Aythya ferina* use of chironomid-rich feeding habitat in winter, 118
*Pica pica*, 38, 200
*Plectrophenax nivalis*, 10
Plovers, Ringed and Grey: counts on the Wash, 179
*Pluvialis squatarola*, 179
Pochard: feeding habitat in winter, 118
Population studies: breeding Merlins in Wales, 103; estimation of Black Grouse in Wales, 80; Merlins in Welsh conifer plantations, 103; of Common Sandpipers, 151; Ospreys in Corsica, 98; Snow Buntings in Scotland, 10
Proctor, I. *See* Hill, D.A.
Protein reserves: measure for small passerines, 1
*Prunella modularis*, 87

Ravens: exploitation of small carcasses, 200
Redshanks: counts on the Wash, 179
Reproduction *See* breeding
Robertson, P.A. Estimating the nesting success and productivity of British pheasants *Phasianus colchicus* from nest-record schemes, 73
Robins: frugivory in coastal dune scrub, 188
Rolando, A. & Palestrini, C. The effects of interspecific aggression on territorial dynamics in *Acrocephalus* Warblers in a marsh area of north-western Italy, 92
Roosting: roost fidelity of Pink-footed Geese, 112

Safriel, U.N. & Lavee, D. Relative abundance of migrants at a stopping-over site and the abundance in their breeding ranges, 71
Sandpipers, Common: population dynamics, 151
Sellers, R.M. *See* Banks, K.W.
Shelduck: counts on the Wash, 179; inland breeding in Britain, 123
Shorebirds: counts on the Wash, 179
Shrubb, M. & Lack, P.C. The numbers and distribution of Lapwings *V. vanellus* nesting in England and Wales in 1987, 20
Simons, J.R. *See* Cowie, R.J.
Siskins: use of garden feeders, 145
Sparrows, House: use of garden feeders, 145
Storks, White: exploitation of small carcasses, 200
Sundberg, P. *See* Eriksson, M.O.G.
Sutherland, W.J. & Allport, G. The distribution and ecology of naturalized Egyptian Geese *Alopochen aegyptiacus* in Britain, 128
Swallows: pre-migratory and migratory movements, 170
*Sylvia* spp., 188

*Tadorna tadorna*, 123, 179
*Tetrao tetrix*, 80
Thibault, J.-C. & Patrimonio, O. Some aspects of breeding success of the Osprey *Pandion haliaetus* in Corsica, Western Mediterranean, 98
Thrushes, Song: frugivory in coastal dune scrub, 188
Tits, Blue: use of garden feeders, 145
Tits, Great: condition measures for, 1
*Tringa totanus*, 179
*Turdus merula*, 188

*Turdus philomelos*, 188
Turnstones: counts on the Wash, 179

*Vanellus vanellus*, 20
Vultures, Black: exploitation of small carcasses, 200
Vultures, Egyptian: eyries occupied by Griffon Vultures, 42
Vultures, Griffon: exploitation of small carcasses, 200; use of other raptor eyries, 42

Waders: shorebird counts on the Wash, 179
Walker, F. *See* Cayford, J.T.
Warblers: interspecific aggression between *Acrocephalus* spp., 92
Warblers, Garden: frugivory in coastal dune scrub, 188
Whimbrel: nesting densities, productivity and survival in Shetland, 160
Whitethroats and Lesser Whitethroats: frugivory in coastal dune scrub, 188
Woodlands: winter bird communities and grazing, 57

Yalden, D.W. *See* Holland, P.K.
Yates, M.G. & Goss-Custard, J.D. A comparison between high water and low water counts of shorebirds on the Wash, east England, 179